

1/14

APPROVED	O.G. FIG. 1
BY	CLASS
DRAFTSMAN	SUBCLASS
	4




Fig. 1




Fig. 2

2/14




Fig. 3




Fig. 4

APPROVED	O.G. FIG. 1
BY	CLASS
DRAFTSMAN	SUBCLASS
	435
	4

FIG. 3

O.G. FIG. 1	
CLASS	SUBCLASS
435	4
APPROVED BY DRAFTSMAN	






Fig. 5

4/14




Fig. 6




Fig. 7

APPROVED	O.G. FIG. 1
BY	CLASS
DRAFTSMAN	SUBCLASS
	435
	4

FIG. 6

5/14





Fig. 8







Fig. 10

6/14

(a)



(b)



(c)




Fig. 9

APPROVED BY DRAFTSMAN
O.G. FIG. 1
CLASS 435
SUBCLASS 4

FIG. 9 is a schematic diagram of a network or circuit. It consists of a central horizontal line with a thick segment labeled 8. Branches extend from this line to nodes labeled 2, 3, 4, 5, 6, 7, 2', 3', 4', 5', 6', and 7'. A pentagonal shape labeled 18' is positioned above the central line.

7/14

O.G. FIG. 1	
CLASS	SUBCLASS
Y35	Y
APPROVED BY	DRAFTSMAN





Fig. 11

8/14

APPROVED	O.G. FIG. 1	
	CLASS	SUBCLASS
BY	435	Y
DRAFTSMAN		

(a)



(b)




Fig. 12

SUBSTITUTE SHEET (RULE 26)

9/14

APPROVED BY DRAFTSMAN	O.G. FIG. 1	CLASS	SUBCLASS
		435	Y










Fig. 13

10/14

APPROVED	O.G. FIG. 1	
	CLASS	SUBCLASS
BY	435	Y
DRAFTSMAN		



(a)



(b)


Fig. 14

SUBSTITUTE SHEET (RULE 26)

11/14

APPROVED	O.G. FIG. 1	
BY	CLASS	SUBCLASS
DRAFTSMAN	435	4

(a)



(b)




Fig. 15

12/14

APPROVED	O.G. FIG. 1	
BY	CLASS	SUBCLASS
DRAFTSMAN	43r	Y




Fig. 16

13/14

APPROVED	O.G. FIG. 1	
BY	CLASS	SUBCLASS
DRAFTSMAN	935	Y




Fig. 17

14/14

APPROVED	O.G. FIG. 1	
	CLASS	SUBCLASS
BY	435	4
DRAFTSMAN		




Fig. 18